| | | MRP LIST PRICE AND SE | PECS FOR IQUBX PROD | UCTS 4may2018 | | | | |
|--------|--------------|--|----------------------------|---|--------------|-----------------|--------------------------|-------------------|
| | | | | | | | transportation, wastage, | |
| | | Product Specifications for tendering. Iqubx shall supply the material only. | | | | supply MRP List | reseller / | |
| Sr. No | Product Code | MRP prices are listed here | | remarks | Unit | Price (Rs.) | vendor profit | installation cost |
| | | Supply of heavy duty Aluminum Modular floor Junction box with openable top | | Rates without lid infill material (which shall be done | | | | |
| | | lid & open from all four sides. The junction box should be height adjustable to | - W | on site from existing material). | | | | |
| 1 | JB022 | match exactly the floor finish. The lid should be able to carry the floor finish and have good load bearing capacity. This model has collar depth of 30mm and | leave III | Rates below are of specific sizes, though any size can be | | | | |
| | | flange of 3-4 mm. | | supplied on order. Cost of side | | | | |
| | | | | walls extra. This is patent design. | | | | |
| | | 100X100X60mm | | | each | 712 | | |
| | | 150X150X60mm 200X200X75mm | | | each each | 916 1157 | | |
| | | 275X275X75mm | | | each | 1492 | | |
| | | | | Rates without lid infill | | | | |
| | | Supply of heavy duty Aluminum Modular floor Junction box with DOUBLE openable top lid for wire management & open from all four sides. The junction | -3 | material (which shall be done on site from existing material). | | | | |
| 2 | JB022D | box should be height adjustable to match exactly the floor finish. The lid should | 1. | Rates below are of specific | | | | |
| | | be able to carry the floor finish and have good load bearing capacity. This model has collar depth of 30mm and flange of 3-4 mm . | | sizes, though any size can be supplied on order. Cost of side | | | | |
| | | | | walls and wire managers extra. This is patent design. | | | | |
| | | 100X100X60mm | | extra. This is patent design. | each | 803 | | |
| | | 150X150X60mm 200X200X75mm | | | each each | 1054 1340 | | |
| | | 275X275X75mm | | | each | 1745 | | |
| | | Supply of heavy duty Aluminium Modular Floor Junction Box with Strong | | Rates without lid infill material (which shall be done | | | | |
| | | Sturdy Hinge along with a Rubber Wire manager Holder. The Junction box to | | on site from existing material). | | | | |
| 3 | JB022H | be height adjustable to match the floor hight and floor finish. The lid should be able to carry the floor finish and have good load bearing capacity. This model | | Rates below are of specific sizes, though any size can be | | | | |
| | | has collar depth of 30mm and flange of 3-4 mm. Rates without lid infill | | supplied on order. Cost of side | | | | |
| | | material. | | walls extra. This is patent design. | | | | |
| | | 100X100X60mm | | | each | 880 | | |
| 1 | | 150X150X60mm 200X200X75mm | | | each each | 1153 1462 | | |
| | | 275X275X75mm | | | each | 1900 | | |
| 4 | | Supply of extruded aluminium channels for construction of Junction Box JB22, JB22H and Trapdoor TD-JB22 and TD-JB22H | | | | | | |
| | | JB022a | | | prm | 383 | | |
| | | JB022b | | | prm | 383 | | |
| | | JB022c | | kates without lid infili | prm | 383 | | |
| | | Supply of Lightweight Aluminium Modular floor Junction Box with openable | | material (which shall be done on site from existing material). | | | | |
| 5 | JB023 | Lid for wire management & Open from all four side. The Junction Box is to be height adjustable to match the floor height starting 40mm and above. The lid | | Rates below are of specific | | | | |
| | 10023 | to be able to carry the floor tile or any other floor finish material upto 10mm | | sizes, though any size can be supplied on order. Cost of side | | | | |
| | | thickness. This Model has Collar depth of 20mm and flange of 3-4 mm. | | walls extra. This is patent | | | | |
| | | 100X100X60mm | | design. | each | 495 | | |
| | | 150X150X60mm 200X200X75mm | | | each each | 611 756 | | |
| | | 275X275X75mm | | | each | 960 | | |
| | | Supply of Lightweight Aluminum Modular floor Junction box with DOUBLE | | Rates without lid infill material (which shall be done | | | | |
| | | openable top lid for wire management & open from all four sides. The junction box to be height adjustable to match exactly the floor finish and floor height | 13 | on site from existing material). Rates below are of specific | | | | |
| 6 | JB023D | starting 40mm and above. The lid to be able to carry the floor tile or ant other | - | sizes, though any size can be | | | | |
| | | floor finish material upto 10mm thickness. This Model has Collar depth of 20mm and flange of 3-4 mm Rates without Lid Infill Material. | 10 | supplied on order. Cost of side walls and wire managers | | | | |
| | | - | | extra. This is patent design. | ansk | | | |
| | | 100X100X60mm 150X150X60mm | | | each each | 542 683 | | |
| | | 200X200X75mm 275X275X75mm | | | each each | 852 1091 | | |
| | | Supply of Lightweight Aluminium Modular Floor Junction Box with Strong | | | | | | |
| _ | ID 005:: | Sturdy Hinge along with a Rubber Wire manager Holder. The junction box to be height adjustable to match exactly the floor finish and floor height starting | | Rates without lid infill | | | | |
| 7 | JB023H | 40mm and above. The lid to be able to carry the floor tile or ant other floor | | material (which shall be done | | | | |
| | | finish material upto 10mm thickness. This Model has Collar depth of 20mm and flange of 3-4 mm | | on site from existing material). Rates below are of specific | | | | |
| | | 100X100X60mm 150X150X60mm | | sizes, though any size can be supplied on order. Cost of side | | 645 821 | | |
| | | 200X200X75mm | | walls extra. This is patent | each | 1026 | | |
| | | 275X275X75mm | | design. | each | 1320 | | |
| | | Supply of Heavy Duty Aluminium Electrical floor Box Outlet with openable Hinged Lid and a Rubber Wire Manager. The lid to have a capacity to hold the | iqubx | Rates without lid infill | | | | |
| | | existing floor finish (Floor Tile, Granite, Kota-stone, Carpet etc) to match | Floor Bex Budlet 28 031 | material (which shall be done on site from existing material). | | | | |
| 8 | JB031 | exactly the floor finish of Room. The floor box can be fixed with 6 Module or any other specified number of modules of electrical switch/socket plate and I/O | | Rates below are of specific | | | | |
| | | Plate as per the requirement of client. The height of the floor box to be adjustable to match the floor height starting from 82mm and above . This | | sizes, though any size can be supplied on order. Cost of | | | | |
| | | model has collar depth of 30mm and flange of 3-4 mm. . | | swith sockets are extra. This is patent design. | | | | |
| | | 260x260mm | | pasent design | each | 3000 | | |
| | | 300X300mm | | | each | 3300 | | |

| | | | | _ | | - | | _ |
|-------------------|-----------|--|--|---|--|---------------------------|-------------------|-------------|
| 9 | JB032 | Supply of LightWeight Aluminium Electrical floor Box Outlet with openable Hinged Lid and a Rubber Wire Manager. The lid to be able to carry the floor tile or any other floor finish material upto 10mm thickness. The floor box can be fixed with 6 Module or any other specified number of modules of electrical switch/socket plate and I/O Plate as per the requirement of client. The height of the floor box to be adjustable to match the floor height starting from 70mm and above. This model has collar depth of 20mm and flange of 3-4 mm | Prior land about the first lan | Rates without lid infill material (which shall be done on site from existing material). Rates below are of specific sizes, though any size can be supplied on order. Cost of swith sockets are extra. This is | | | | |
| | | 200 200 | <u> </u> | patent design. | | 2500 | | |
| \rightarrow | | 260x260mm | | | each | 2500 | \longrightarrow | |
| \rightarrow | | 300X300mm | | + | each | 2800 | | |
| 10 | TD-JB022 | Supply of Aluminium Access Ceiling Trapdoor . The Trapdoor to be able to carry gypsm board for seamless ceiling finish with minimum visible flange. Fixed to soffit of slab or ceiling frame with appropriate strong support. The lid to be connected with trap door frame with 4 Chain with each trap door and locked with 4 allen keys. The Ceiling Trapdoor may have one or more openable Lid/Door depending upon the size of trapdoor. This model has collar depth of 30mm and flange of 3-4 mm Rates without lid infill material. | | · · | each | 2000 | | |
| _ | | 600X600mm | V | sizes, though any size can be | each | 3300 | _ | |
| | | 1200X1200mm | | supplied on order. This is | each each | 7500 10000 | - | |
| \rightarrow | | 1200X1800mm | | patent design. | each | 10000 | - | |
| 11 | TD-JB022H | Supply of Aluminium Access Ceiling Trapdoor with Strong Sturdy Hinge. The Trapdoor to be able to carry gypsum board for seamless ceiling finish with minimum visible flange. flange. The lid to be connected with trap door frame with 1 or 2 Chain with each trap door and locked with 1 or 2 allen keys. The Ceiling Trapdoor may have one or more openable Lid/Door depending upon the size of trapdoor. This model has collar depth of 30mm. Rates without lid infill material. 300X300mm | | Rates without lid infill material (which shall be done on site from existing material). Rates below are of specific sizes, though any size can be supplied on order. This is | each | 1750 | | |
| J | | 600X600mm | | patent design. | each | 2850 | | |
| | | 1200X1200mm | |] | each | 6500 | | |
| | | 1200X1800mm | | | each | 8500 | | |
| 12 | TD-JB023 | Supply of Lightweight Aluminium Access Ceiling Trapdoor . The Trapdoor to be able to carry 10mm Painted MDF Board / Painted Partical Board / Painted marine Ply / Prelaminated Board / painted bison board or calcium silicate board as per the requirement to match the ceiling finish with minimum visible flange. Fixed to soffit of slab with appropriate strong support. The lid to be connected with trap door frame with 4 Chain with each trap door and locked with 4 allen keys. The Ceiling Trapdoor may have one or more openable Lid/Door depending upon the size of trapdoor. This model has collar depth of 20mm. Rates without lid infill material. | | Rates without lid infill material (which shall be done on site from existing material). | | | | |
| | | 300X300mm | | | each | 1500 | 1 | |
| | | 600X600mm | | sizes, though any size can be | each | 2200 | | |
| | | 1200X1200mm | | supplied on order. This is | each | 5000 | | |
| | | 1200X1800mm | | patent design. | each | 5800 | | |
| 13 | TD-JB023H | Supply of Lightweight Aluminium Access Ceiling Trapdoor with hinge. The Trapdoor to be able to carry 10mm Painted MDF Board / Painted Partical Board / Painted marine Ply / Prelaminated Board / painted bis no board or calcium silicate board as per the requirement to match the ceiling finish with minimum visible flange. Fixed to soffit of slab with appropriate strong support. The lid to be connected with trap door frame with 1 or 2 Chain with each trap door and locked with 1 or 2 allen keys. The Ceiling Trapdoor may have one or more openable Lid/Door depending upon the size of trapdoor. This model has collar depth of 20mm. Rates without lid infill material. | | Rates without lid infill material (which shall be done on site from existing material). Rates below are of specific sizes, though any size can be supplied on order. This is patent design. | | | | |
| | | 150X150mm | | | each | 1350 | | |
| \longrightarrow | | 300X300mm | | | each | 1900 | | |
| \rightarrow | | 600X600mm 1200X1200mm | | | each | 1500 | | |
| \rightarrow | | 1200/1200//// | | | each | 4500 5200 | | |
| | • | 1200X1800mm | | | each | 4500 5200 | | |
| 14 | | 1200X1800mm Supply of extruded aluminium channels for construction of Junction Box JB23, JB23H and Trapdoor TD-JB23 and TD-JB23H | | | each | | | |
| 14 | | Supply of extruded aluminium channels for construction of Junction Box JB23, | | | prm | | | |
| 14 | | Supply of extruded aluminium channels for construction of Junction Box JB23, JB23H and Trapdoor TD-JB23 and TD-JB23H | | | | 5200 | | |
| 14 | | Supply of extruded aluminium channels for construction of Junction Box JB23, JB23H and Trapdoor TD-JB23 and TD-JB23H JB023a Inner Frame Profile | | | prm | 5200 201 | | |
| 14 | RW011 | Supply of extruded aluminium channels for construction of Junction Box JB23, JB23H and Trapdoor TD-JB23 and TD-JB23H JB023a Inner Frame Profile JB023b Outer Frame Profile | | supplied in raw finish | prm prm | 5200 201 201 | | |
| | RW011 | Supply of extruded aluminium channels for construction of Junction Box JB23, JB23H and Trapdoor TD-JB23 and TD-JB23H JB023a Inner Frame Profile JB023b Outer Frame Profile JB023b Leg Profile Supply and Installation of Aluminium modular floor raceway / wireway, extruded ribbed aluminium body, 1.2mm to 1.8 mm body thickness, with ribbed aluminium snap fit cover, good load bearing capacity. The raceway may | | supplied in raw finish | prm prm | 5200 201 201 | | |
| | RW011 | Supply of extruded aluminium channels for construction of Junction Box JB23, JB23H and Trapdoor TD-JB23 and TD-JB23H JB023a Inner Frame Profile JB023b Outer Frame Profile JB023b Leg Profile Supply and Installation of Aluminium modular floor raceway / wireway, extruded ribbed aluminium body, 1.2mm to 1.8 mm body thickness, with ribbed aluminium snap fit cover, good load bearing capacity. The raceway may be laid inside the floor or on vertical surfaces. Size 150mm X 45mm | | supplied in raw finish | prm prm prm | 201 201 275 | | |
| | RW011 | Supply of extruded aluminium channels for construction of Junction Box JB23, JB23H and Trapdoor TD-JB23 and TD-JB23H JB023a Inner Frame Profile JB023b Outer Frame Profile JB023b Leg Profile Supply and Installation of Aluminium modular floor raceway / wireway, extruded ribbed aluminium body, 1.2mm to 1.8 mm body thickness, with ribbed aluminium snap fit cover, good load bearing capacity. The raceway may be laid inside the floor or on vertical surfaces. | | supplied in raw finish supplied in raw finish | prm prm prm | 201 201 275 | | |
| 15 | | Supply of extruded aluminium channels for construction of Junction Box JB23, JB23H and Trapdoor TD-JB23 and TD-JB23H JB023a Inner Frame Profile JB023b Outer Frame Profile JB023b Leg Profile Supply and Installation of Aluminium modular floor raceway / wireway, extruded ribbed aluminium body, 1.2mm to 1.8 mm body thickness, with ribbed aluminium snap fit cover, good load bearing capacity. The raceway may be laid inside the floor or on vertical surfaces. Size 150mm X 45mm Supply and Installation of Aluminium modular floor raceway / wireway, extruded ribbed aluminium body, 1.1 mm to 1.3 mm body thickness, with ribbed aluminium snap fit cover, good load bearing capacity. The raceway may be laid inside the floor or on vertical surfaces. This model can be laid exposed on the floor surface as well for aesthetics and easy access. | | supplied in raw finish supplied in raw finish | prm prm prm | 201 201 201 275 | | |
| 15 | | Supply of extruded aluminium channels for construction of Junction Box JB23, JB23H and Trapdoor TD-JB23 and TD-JB23H JB023a Inner Frame Profile JB023b Outer Frame Profile JB023b Leg Profile Supply and Installation of Aluminium modular floor raceway / wireway, extruded ribbed aluminium body, 1.2mm to 1.8 mm body thickness, with ribbed aluminium snap fit cover, good load bearing capacity. The raceway may be laid inside the floor or on vertical surfaces. Size 150mm X 45mm Supply and Installation of Aluminium modular floor raceway / wireway, extruded ribbed aluminium body, 1.1 mm to 1.3 mm body thickness, with ribbed aluminium snap fit cover, good load bearing capacity. The raceway may be laid inside the floor or on vertical surfaces. This model can be laid exposed on the floor surface as well for aesthetics and easy access. | | supplied in raw finish supplied in raw finish the skirting waste pieces can be used to prepare cleats for fixing the skirting. Cost of endcaps and corner joints extra | prm prm prm | 201 201 201 275 | | |
| 15 | RW022 | Supply of extruded aluminium channels for construction of Junction Box JB23, JB23H and Trapdoor TD-JB23 and TD-JB23H JB023a Inner Frame Profile JB023b Outer Frame Profile JB023b Leg Profile Supply and Installation of Aluminium modular floor raceway / wireway, extruded ribbed aluminium body, 1.2mm to 1.8 mm body thickness, with ribbed aluminium snap fit cover, good load bearing capacity. The raceway may be laid inside the floor or on vertical surfaces. Size 150mm X 45mm Supply and Installation of Aluminium modular floor raceway / wireway, extruded ribbed aluminium body, 1.1 mm to 1.3 mm body thickness, with ribbed aluminium snap fit cover, good load bearing capacity. The raceway may be laid inside the floor or on vertical surfaces. This model can be laid exposed on the floor surface as well for aesthetics and easy access. Size 80mm X 40mm Supply and installation of modular snapfit universal aluminium skirting, 98 mm high x 5.5 thick, 1.2 mm wall thickness, snap fit assembly. Finished in anodizing | | supplied in raw finish supplied in raw finish the skirting waste pieces can be used to prepare cleats for fixing the skirting. Cost of endcaps and corner joints extra Skirting End Caps | prm prm prm PRM | 201 201 275 1416 | | |

| 18 | SK031CR | Supply and installation of modular snapfit aluminium chair rail , 2 runs of 98 mm high x 5.5 thick, 1.2 mm wall thickness, snap fit assembly, with lower run fixed inverted to have chamfer facing downwards. Finished in an | | the skirting waste pieces can be used to prepare cleats for fixing the skirting. Cost of | | | | |
|----|---------|--|-----------------|---|------------|-----------|---|--|
| | | powder coating, as required. | OFFICE AND SOME | endcaps and corner joints extra | | | | |
| | | | | extra | PRM | 720 | | |
| | | | | Skirting End Caps | Set | 6 | | |
| | | | | Corner Joints | Set | 12 | | |
| 19 | WP075 | Supply and Installation of interlocking aluminium curved profile wall panelling , 75 mm wide X 12.6 mm thick, each running metre covering an area of 0.075 sqm, with multiple fixing methods. Finished in anodizing or powder coating, as required. | *** | cost of underlying frame etc is extra | | | | |
| | | | | | PRM | 385 | | |
| | | | | | | | | |
| 20 | WP01 | Supply and installation of Modular Aluminium Post and Rail frame demountable panel system for paneling with grooves, total thickness 39mm approx. with 25 thk aluminium frame system 25 x 44 post and 53 x 12 rail, single layer and 12mm thk prelam partile board edgebanded panel cut to size. Cost of skirting to be extra. Supplied in raw finish. | | (cost of edgebanded panel not included here) (MRP cost is calculated on basis of channel costs for 2' x 4' grid | | | | |
| | | | | approx and 4 hooks of 50mm in panel each) | SQM | MRP 1210 | | |
| | | | | approx mrp cost including edge banded panels and glass wool for 4' x 2' grid | SQM | MRP 2000 | | |
| 21 | | Supply of extruded aluminium channels for construction of Panel and partition | | | | | | |
| | | system WP01 raw finish | | | DDA. | | | |
| | | WP01a, rail | | | PRM PRM | 410 | | |
| | | WP016, post | | | PRM | 410 80 | | |
| | | WP01c, hook Supply and installation of Modular Aluminium Post and Rail frame | _ | | . 13171 | 80 | | |
| 22 | WP01P | demountable partition system for paneling with grooves, total thickness 77mm approx. with 25 thk aluminium frame system 25 x 44 post and 53 x 12 rail, double layer and 12mm thk prelam partile board edgebanded panel cut to size. Frame to have glass wool pads. | | (cost of edgebanded panel and glass wool not included here) (MRP cost is calculated on basis of channel costs for 2' | | | | |
| Щ. | | | | x 4' grid approx and 4 hooks of 50mm in panel each) | SQM | MRP 2420 | | |
| | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | |
| | | | | approx mrp cost including edge banded panels and glass wool for 4' x 2' grid | SQM | MRP 4000 | | |
| 23 | WP02 | Supply and installation of a versatile universal aluminium snap fit paneling system approx 12-13mm thk, which can accommodate any 8mm to 10mm thick material panel like pre-laminated particle board or MDF board, ply wood, gypsum board, glass or any other material. The snapfit system channels to be fixed on existing surface or frame. each panel can be removed and refixed easily without disturnbing rest of paneling. | | cost of panel and underlying frame not included. Comes in anodized finish. Rate of male female snapfit channel system in rm. Approx cost of paneling per sqm is also given for 2' wide panels approx cost of channel system WPO2. | PRM | 205 | | |
| | | | | | SQM | MRP 335 | | |
| | | | | Additional frame cost and gypsum board cost approx 600 rupees per sqm | SQIVI | WIRE 333 | | |
| 24 | WP02P | Supply and installation of a partition using versatile universal aluminium snap fit paneling system approx 12-13mm thk, which can accommodate any 8mm to 10mm thick material panel like pre-laminated particle board or MDF board, ply wood, gypsum board, glass or any other material. The snapfit system channels to fixed on existing surface or frame. each panel can be removed and refixed easily without disturnbing rest of paneling. Ideally on a 50mm thick Aluminium / wooden frame, 76mm partition is achieved. | | cost of panel and underlying frame not included. Comes in anodized finish. Rate of male female snapfit channel system in rm. Approx cost of paneling per sqm is also given for complete partition | PRM | 410 | | |
| | | | | complete partition | SQM | MRP 670 | | |
| | | | | Additional frame cost and gypsum board cost approx 900 rupees per sqm | | 070 | | |
| 25 | GP2510 | Supply and installation of Aluminium glazed partition system , with approx 41.5 x 25 thick snap fit frame system, and 10mm float toughened / non toughened glass. | | (Cost of glass not included here) (MRP cost based on a typical glass panel size of 8' x 8') | | | | |
| | | | | | SQM | MRP 960 | - | |
| | | | | including the cost of glass, approx mrp | SQM | MRP 3300 | | |
| | | Supply of extruded aluminium channels for construction of Aluminium glazed partition system GP2510 anodized finish / powder coated | | | | | | |
| | | GP2510a | | | PRM | 584 | | |
| 26 | GP1510 | Supply and installation of Aluminium glazed partition system , with approx 53.5 x 15 thick sleek snap fit frame system, and 10mm float toughened / non toughened glass. | | (Cost of glass not included here) (MRP cost based on a typical glass panel size of 8' x 8') | SQM | MRP 1600 | | |
| | | | H | including the cost of glass, approx mrp | SQM | MRP 3750 | | |
| | | Supply of extruded aluminium channels for construction of Aluminium glazed partition system GP1510 anodized finish / powder coated | | | | | | |

| | | 1 | T | 1 | | | 1 | |
|--|---------------------------------------|--|--------------------------------------|--|-------|--|---|--------------|
| | | MPa (7.5 x 54) 2 nos. + MPb glass snapfit channel 2 nos. + gaskets | | | PRM | 975 | | |
| | · · · · · · · · · · · · · · · · · · · | | | 1 | | | | |
| 27 | DF01 | Supply and installation of ALUMINIUM DOOR FRAMES FOR GLASS PARTITIONS , 100 x 50 section for use with partitions (can be used with GP2510, GP1510 and WP01P), to have a rebate with rubber gaskets for hinged doors / without rebate for pivoted doors. | | | | | | |
| | | | | | | | | |
| 28 | BFC-1 | Supply and Installation of Aluminium Baffle Ceiling System with linear profile of Size 25X120mm, in Anodized or Powder Coated Finish along with the Hanging Frame and accessories, fixed to roof/Concrete Ceiling. The baffle ceiling system can be hung in two orientations, on Vertically straight at 90 degree and 45 degree angles. The Baffle Ceiling system to have capacity to hold Lacquered Glass, Laminated Ply, Pre-laminated Board, Edge-lit Acrylic, Cork, Printed Vinyl, or Polished Veneer as per the client's requirement. | | The infill material and LED Light for integration extra cost. Rates without infill material. Cost of hanging frame system not included | PRM | 820 | | |
| | | tentative cost for baffles with spacing @150mm c/c | | indicative cost and not list price assuming 6 baffles are positioned in 1m | SQM | MRP 4920 | | |
| | | Andrew of the best less with any size O150 and the size from | | indicative cost and not list price | SQM | MRP 5950 | | |
| | | tentative cost for baffles with spacing @150mm c/c including frame tentative cost for baffles with spacing @150mm c/c including frame and infill material (Prelam) | | indicative cost and not list price | SQM | MRP 6950 | | |
| | | | | | | | | |
| 29 | BFC-2 | Supply and Installation of Rectangular Aluminium Baffle Ceiling System of Size 42X120mm, in Anodized or Powder Coated Finish along with the GI Hanging Frame and accessories, fixed to roof/Concrete Ceiling. The baffle ceiling system can be hung in two orientations, on Vertically straight at 90 degree and 45 degree angles. The Baffle Ceiling system to have capacity to hold Lacquered Glass, Laminated Ply, Pre-laminated Board, Edge-lit Acrylic, Cork, Printed Vinyl, or Polished Veneer as per the client's requirement. | | The infill material and LED Light for integration extra cost. Rates without infill material. Cost of hanging frame system not included | PRM | 1000 | | |
| | | | | indicative cost and not list | | | | |
| | | tentative cost for baffles with spacing @175mm c/c | | price, assuming 5 baffles are positioned in 1m | SQM | MRP 5000 | | |
| | | servers coar to sauce are showing 6.1/2000 c/c | | indicative cost and not list | JQIVI | WINE SOUC | | |
| | | tentative cost for baffles with spacing @175mm c/c including frame | | price | SQM | MRP 6000 | | |
| T | | tentative cost for baffles with spacing @175mm c/c including frame and infill | | indicative cost and not list | COM | NADD 7000 | | |
| | | material (Prelam) | | price | SQM | MRP 7000 | | _ |
| | | | | 1 | | 1 | - | - |
| 30 | BFC-12 | Supply and Installation of Modular Aluminium Baffle Ceiling System , The IQUBX BFC-12 is a combination of BFC-1 and BFC-2, that can be assembled and fixed in multiple combinations and orientations. The Baffle ceiling system to have Anodized or Powder Coated Finish along with the GI Hanging Frame and accessories, fixed to roof/Concrete Ceiling. The Baffle Ceiling system to have capacity to hold Lacquered Glass , Laminated Ply , Pre-laminated Board , Edge-lit Acrylic , Cork , Printed Vinyl , or Polished Veneer as per the client's requirement. | | The infill material and LED Light for integration extra cost. Rates without infill material. Cost of hanging frame system not included indicative cost and not list | PRM | 1820 | | |
| | | | | price, assuming 3 baffles are | | | | |
| | | tentative cost for baffles with spacing @250mm c/c | | positioned in 1m indicative cost and not list | SQM | MRP 5500 | | |
| | | tentative cost for baffles with spacing @250mm c/c including frame | | price | SQM | MRP 6500 | | |
| | | tentative cost for baffles with spacing @250mm c/c including frame and infill | | indicative cost and not list | | | | İ |
| | | material (Prelam) | | price | SQM | MRP 7500 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | TERMS & CONDITIONS | |] | | | | |
| | | 1) Above rates are Ex- Godown at Delhi. | | | | | | ļ |
| | | 2) Cost of packing with bubble is included in cost, however it can be packed as p | er client requirement for which the | e packing charges shall be extra | | | | |
| \vdash | | Loading charges at Ex-Godown are included in cost. Oost of Unloading charges at Site shall be borne by client | | | | + | | |
| | | 5) Cost of transportation & insurance from Ex- Godown till site shall be borne by | Client | | | † | | 1 |
| | | 6) Since these are supply items therefore NO WCT / TDS should be deducted | | | | | | |
| | | 7) All applicable taxes are extra | | | | | | |
| | | 8) Warranty Period : 12 months from date of supply | tioned in the Control of the Control | ing 9. pourdertime | | | | |
| | | All above products would be supplied in Aluminum Raw finish. Except as ment extra depending upon the micron required | uoned in the specs. Cost of Anodiz | ing ∝ powαer coating shall be | | | | |
| | | 10) IQUBX can supply the material only. The specifications are indicative of use in BOQs and tenders and the installation part is separate to be done at client end. Iqubx will support in executions on case to case basis. In case, installation is required at our end, we can get it done through | | | | | | |
| | | our associates. | cion in tanders. All taxes carters | handling wastage installation | | 1 | | 1 |
| 1 | | All prices are quoted for material only and specs are indicative for easy inclusion. Above prices and specs may change, please confirm the latest price and spec | | | | + | | |
| | | 12) Above prices and specs may change, please commit the latest price and spec | 3 iist ii oiii website www.iqu0x.cof | | 1 | 1 | | |