	All prices are ex-factory. Transportation and	Taxes are extra as actual/appl	icable for	material supply only.		
Sr. No	Sample Specifications		Unit	supply MRP List Price ( Rs.)	transportation, wastage, reseller / vendor profit	installation cost
<b>1</b> a	Supply, Installation & Fixing the heavy duty Aluminum Modular floor Junction box with openable top lid & open from all four sides. The junction box should be height adjustable to match exactly the floor finish. The lid should be able to carry the floor finish and have good load bearing capacity. Rates without lid infill material.	12/22/2018				
	Brand: IQUBX, Model JB022. This model has collar depth of 30mm.  Brand: IQUBX, Model JB023 for use in low margin floor. This model					
	has collar depth of 13mm.					
	Size 100 mm X 100 mm x 60 mm		Each	780		
	Sixe 150 mm X 150 mm X 60 mm Size 200 mm X 200 mm X 75 mm		Each Each	897 1032		
	Size 275 mm X 275 mm X 75 mm		Each	1209		
	Supply, Installation & Fixing the heavy duty Aluminum Modular floor					
1b	Junction box with DOUBLE openable top lid for wire management & open from all four sides. The junction box should be height adjustable to match exactly the floor finish. The lid should be able to carry the floor finish and have good load bearing capacity. Rates without lid infill material.					
	Brand: IQUBX, Model JB022. This model has collar depth of 30mm.  Brand: IQUBX, Model JB023 for use in low margin floor. This model					
	has collar depth of 13mm.					
	Size 200 mm X 200 mm X 75 mm		Each	1250		
	Size 300 mm X 300 mm X 75 mm		Each	1544		
1c	Supply of extruded aluminium channels for construction of junction boxes JB022 and JB023, raw finish					
	JB022a JB022b		prm	294 294		
	JB022c		prm	294		
	JB023a		prm	294		
	JB023b	1 .E	prm	294		
1d	Note: (1) These sizes are for indication only. We can supply Junction box in any sizes as required by client. Specific rates shall be quoted as per requirement. These prices are for junction boxes supplied assembled. Alternatively, they can be fabricated on site from channels supplied by us by the client.					
	(2) Material for top lid such as Tiles , Carpet , PVC, SS etc & for closing of Side openings to be provided by Client on site / chargable extra in supply column					
	(3) Supplied in raw finish. Rates indicated for raw finish. Can be powder coated to match the floor or anodized as per requirements at an extra cost.					
2	Supply and installation of <b>Aluminium Ceiling access trap door</b> , with seamless ceiling finish, minimum visible flange, fixed to soffit of slab with appropriate strong support		· •			
	Brand : IQUBX, Model TD-JB022					
	indicative sizes - 300 x 300, 600 x 600, 900x 900, 1500 x 900 - can be supplied as per required size					
	the cost is for supply only, excluding infill ceiling material, or fixing to soffit of slab					
	300 x 300 600 x 600		each each	1250 2000		
	900 x 900		each	3300		
	1200 x 1200		each	4200		
	1800 x 1200		each	5000		
3	Supply and Installation of <b>Aluminium modular floor raceway</b> / wireway, extruded ribbed aluminium body, 1.2mm to 1.8 mm body thickness, with ribbed aluminium snap fit cover, good load bearing capacity. The raceway may be laid inside the floor or exposed on the					

	December 10 LIDY Mandal - DW 044				
	Brand : IQUBX Model : RW 011 Size 150 mm X 45 mm		PRM	1184	
				2234	
4	Supply and Installation of Aluminium modular floor raceway / wireway, extruded ribbed aluminium body, 1.1 mm to 1.3 mm body thickness, with ribbed aluminium snap fit cover, good load bearing capacity. The raceway may be laid inside the floor or exposed on the floor.  Brand: IQUBX Model: RW 022				
	Size 80 mm X 50 mm		PRM	514	
	,				
5	Supply and installation of modular snapfit universal <b>aluminium skirting</b> , 98 mm high x 5.5 thick, 1.2 mm wall thickness, snap fit assembly. Finished in anodizing or powder coating, as required. <b>Brand: IQUBX Model: SK031</b>		PRM	362	
6	Supply and installation of modular snapfit <b>aluminium chair rail</b> , 2 runs of 98 mm high x 5.5 thick, 1.2 mm wall thickness, snap fit assembly, with lower run fixed inverted to have chamfer facing downwards. Finished in anodizing or powder coating, as required. <b>Brand: IQUBX Model: SK031</b>		PRM	724	
	Cumply and installation of interlegion aluminium cumped avofile well				
7	Supply and Installation of interlocking aluminium curved profile wall panelling, 75 mm wide X 12.6 mm thick, each running metre covering an area of 0.075 sqm, with multiple fixing methods. Finished in anodizing or powder coating, as required.  Brand: IQUBX Model: WP075		PRM	385	
		***			
8	Supply and installation of <b>Modular Aluminium Post and Rail frame demountable panel system</b> for paneling with grooves, total thickness 39mm approx. with 25 thk aluminium frame system 25 x 44 post and 53 x 12 rail, single layer and 12mm thk prelam partile board edgebanded panel cut to size. Cost of skirting to be extra (cost of edgebanded panel not included here) (MRP cost is calculated on basis of channel costs for 2' x 2' grid approx and 4 hooks in panel of 50mm each)		SQM	1360	
	Brand : IQUBX Model :WP01				
	Supply of extruded aluminium channels for construction of Panel and partition system WP01 raw finish				
	WP01a, rail		PRM	270	
	WP01b, post		PRM	270	
	WP01c, hook		PRM	70	
9	Supply and installation of <b>Modular Aluminium Post and Rail frame demountable partition system</b> for paneling with grooves, total thickness 77mm approx. with 25 thk aluminium frame system 25 x 44 post and 53 x 12 rail, double layer and 12mm thk prelam partile board edgebanded panel cut to size. Frame to have glass wool pads. Cost of skirting to be extra. (cost of edgebanded panel, glass wool insulation not included here) (MRP cost is calculated on basis of channel costs for 2' x 2' grid approx and 4 hooks in panel of 50mm each)		SQM	2720	
	Brand : IQUBX Model :WP01P				
10	Supply and installation of <b>Aluminium glazed partition system</b> , with approx 41.5 x 25 thick snap fit frame system, and 10mm float toughened / non toughened glass. (Cost of glass not included here) (MRP cost based on a typical glass panel size of 8' x 4')				
	Brand : IQUBX Model :GP2510		SQM	1035	
	Supply of extruded aluminium channels for construction of Aluminium glazed partition system GP2510 anodized finish / powder coated				
	GP2510a		PRM	422	
11	Supply and installation of <b>Aluminium glazed partition system</b> , with approx 53.5 x 15 thick sleek snap fit frame system, and 10mm / 12mm / 18mm float toughened / non toughened glass / sound proof sandwich glass. (Cost of glass not included here) (MRP cost based on a typical glass panel size of 8' x 4')		SQM	1610	
	Brand : IQUBX Model :GP1510				

	Supply of extruded aluminium channels for construction of Aluminium glazed partition system GP1510 anodized finish / powder coated			
	MPa (7.5 x 54) 2 nos. + MPb glass snapfit channel 2 nos.	PRM	656	
12	Supply and installation of <b>ALUMINIUM DOOR FRAMES FOR GLASS PARTITIONS</b> , 100 x 50 section for use with partitions (can be used with GP2510, GP1510 and WP01P), to have a rebate with rubber gaskets for hinged doors / without rebate for pivoted doors.	PRM	1100	
	Brand : IQUBX Model : DF01			
	TERMS & CONDITIONS			
	a) Above prices and specs may change, please confirm the latest price and specs list from website www.iqubx.com			
	b) IQUBX can supply the material only. The specifications are indicative of use in BOQs and tenders and the installation part is separate to be done at client end. Iqubx will support in all executions. In case, installation is required at our end, we can get it done through our associates.			
	b) Above rates are Ex-godown, Delhi, transportation extra c) Applicable taxes shall be extra			
	d) Packing & Delivery Charges extra			
	e) All above products would be supplied in Aluminum Raw finish.  Except as mentioned in the specs			
	f) All prices are quoted for material only and specs are indicative for easy inclusion in tenders. All taxes, cartage, handling, wastage, installation shall be extra on the prices indicated above. The prices are MRP and discuounts may apply based on quanitites.			